

# ANEXO

## RIZOBACTERIAS PROMOTORAS DE CRECIMIENTO VEGETAL (PGPR): UNA REVISIÓN SISTEMÁTICA 1990-2019

### REFERENCIAS INCLUIDAS EN EL ESTUDIO

- Adesemoye, A. O., Torbert, H. A., y Kloepper, J. W. (2009). Plant Growth-Promoting Rhizobacteria Allow Reduced Application Rates of Chemical Fertilizers. *Microbial Ecology*, 58(4), 921-929. <https://doi.org/10.1007/s00248-009-9531-y>
- Agaras, B. C., Scandiani, M., Luque, A., Fernández, L., Farina, F., Carmona, M., Gally, M., Romero, A., Wall, L., y Valverde, C. (2015). Quantification of the potential biocontrol and direct plant growth promotion abilities based on multiple biological traits distinguish different groups of *Pseudomonas* spp. isolates. *Biological Control*, 90, 173-186. <https://doi.org/10.1016/j.biocontrol.2015.07.003>
- Ahemad, M., y Khan, M. S. (2012). Alleviation of fungicide-induced phytotoxicity in greengram [*Vigna radiata* (L.) Wilczek] using fungicide-tolerant and plant growth promoting *Pseudomonas* strain. *Saudi Journal of Biological Sciences*, 19(4), 451-459. <https://doi.org/10.1016/j.sjbs.2012.06.003>
- Anwar, M. S., Siddique, M. T., Verma, A., Rao, Y. R., Nailwal, T., Ansari, M., y Pande, V. (2014). Multi-trait plant growth promoting (PGP) rhizobacterial isolates from *Brassica juncea* rhizosphere. *Communicative & Integrative Biology*, 7(1), e27683. <https://doi.org/10.4161/cib.27683>
- Aliye, N., Fininsa, C., y Hiskias, Y. (2008). Evaluation of rhizosphere bacterial antagonists for their potential to bioprotect potato (*Solanum tuberosum*) against bacterial wilt (*Ralstonia solanacearum*). *Biological Control*, 47(3), 282-288. <https://doi.org/10.1016/j.biocontrol.2008.09.003>
- Arshad, M., Shahroona, B., y Mahmood, T. (2008). Inoculation with *Pseudomonas* spp. Containing ACC-Deaminase Partially Eliminates the Effects of Drought Stress on Growth, Yield, and Ripe-ning of Pea (*Pisum sativum* L.). *Pedosphere*, 18(5), 611-620. [https://doi.org/10.1016/s1002-0160\(08\)60055-7](https://doi.org/10.1016/s1002-0160(08)60055-7)
- Armada, E., Roldán, A., y Azcon, R. (2013). Differential Activity of Autochthonous Bacteria in Controlling Drought Stress in Native *Lavandula* and *Salvia* Plants Species Under Drought Conditions in Natural Arid Soil. *Microbial Ecology*, 67(2), 410-420. <https://doi.org/10.1007/s00248-013-0326-9>
- Aslantaş, R., Çakmakçı, R., y Şahin, F. (2007). Effect of plant growth promoting rhizobacteria on young apple tree growth and fruit yield under orchard conditions. *Scientia Horticulturae*, 111(4), 371-377. <https://doi.org/10.1016/j.scienta.2006.12.016>
- Azri, M. H., Ismail, S., y Abdullah, R. (2018). An endophytic *Bacillus* strain promotes growth of oil palm seedling by fine root biofilm formation. *Rhizosphere*, 5, 1-7. <https://doi.org/10.1016/j.rhisph.2017.10.003>
- Barnawal, D., Bharti, N., Maji, D., Chanotiya, C. S., y Kalra, A. (2012). 1-Aminocyclopropane-1-carboxylic acid (ACC) deaminase-containing rhizobacteria protect *Ocimum sanctum* plants during waterlogging stress via reduced ethylene generation. *Plant Physiology and Biochemistry*, 58, 227-235. <https://doi.org/10.1016/j.plaphy.2012.07.008>
- Barnawal, D., Pandey, S. S., Bharti, N., Pandey, A., Ray, T., Singh, S., Chanotiya, C. S., y Kalra, A. (2017). ACC deaminase-containing plant growth-promoting rhizobacteria protect *Papaver somniferum* from downy mildew. *Journal of Applied Microbiology*, 122(5), 1286-1298. <https://doi.org/10.1111/jam.13417>

- Batista, B. D., Lacava, P. T., Ferrari, A., Teixeira-Silva, N. S., Bonatelli, M. L., Tsui, S., Mondin, M., Kitajima, E. W., Pereira, J. O., Azevedo, J. L., y Quecine, M. C. (2018). Screening of tropically derived, multi-trait plant growth-promoting rhizobacteria and evaluation of corn and soybean colonization ability. *Microbiological Research*, 206, 33–42. <https://doi.org/10.1016/j.micres.2017.09.007>
- Belimov, A., Dodd, I., Safranova, V., Hontzeas, N., y Davies, W. (2007). Pseudomonas brassicacearum strain Am3 containing 1-aminocyclopropane-1-carboxylate deaminase can show both pathogenic and growth-promoting properties in its interaction with tomato. *Journal of Experimental Botany*, 58(6), 1485–1495. <https://doi.org/10.1093/jxb/erm010>
- Beneduzzi, A., Peres, D., Vargas, L. K., Bodanese-Zanettini, M. H., y Passaglia, L. M. P. (2008). Evaluation of genetic diversity and plant growth promoting activities of nitrogen-fixing bacilli isolated from rice fields in South Brazil. *Applied Soil Ecology*, 39(3), 311–320. <https://doi.org/10.1016/j.apsoil.2008.01.006>
- Beneduzzi, A., Peres, D., da Costa, P. B., Bodanese-Zanettini, M. H., y Passaglia, L. M. P. (2008). Genetic and phenotypic diversity of plant-growth-promoting bacilli isolated from wheat fields in southern Brazil. *Research in Microbiology*, 159(4), 244–250. <https://doi.org/10.1016/j.resmic.2008.03.003>
- Beneduzzi, A., Moreira, F., Costa, P. B., Vargas, L. K., Lisboa, B. B., Favreto, R., Baldani, J. I., y Passaglia, L. M. P. (2013). Diversity and plant growth promoting evaluation abilities of bacteria isolated from sugarcane cultivated in the South of Brazil. *Applied Soil Ecology*, 63, 94–104. <https://doi.org/10.1016/j.apsoil.2012.08.010>
- Bidondo, L. F., Silvani, V., Colombo, R., Pérgola, M., Bompadre, J., y Godeas, A. (2011). Pre-symbiotic and symbiotic interactions between Glomus intraradices and two Paenibacillus species isolated from AM propagules. In vitro and in vivo assays with soybean (AG043RG) as plant host. *Soil Biology and Biochemistry*, 43(9), 1866–1872. <https://doi.org/10.1016/j.soilbio.2011.05.004>
- Bharathi, R., Vivekananthan, R., Harish, S., Ramannathan, A., y Samiyappan, R. (2004). Rhizobacteria-based bio-formulations for the management of fruit rot infection in chillies. *Crop Protection*, 23(9), 835–843. <https://doi.org/10.1016/j.cropro.2004.01.007>
- Braga, L. F., Oliveira, F. A. de, Couto, E. A. P. do, Santos, K. F. d'Eça N., Ferreira, E. P. de B., y Martin-Didonet, C. C. G. (2018). Polyphasic characterization of bacteria obtained from upland rice cultivated in Cerrado soil. *Brazilian Journal of Microbiology*, 49(1), 20–28. <https://doi.org/10.1016/j.bjm.2017.04.004>
- Çakmakçı, R., Dönmez, F., Aydin, A., y Şahin, F. (2006). Growth promotion of plants by plant growth-promoting rhizobacteria under greenhouse and two different field soil conditions. *Soil Biology and Biochemistry*, 38(6), 1482–1487. <https://doi.org/10.1016/j.soilbio.2005.09.019>
- Castellano-Hinojosa, A., Pérez-Tapia, V., Bedmar, E. J., y Santillana, N. (2018). Purple corn-associated rhizobacteria with potential for plant growth promotion. *Journal of Applied Microbiology*, 124(5), 1254–1264. <https://doi.org/10.1111/jam.13708>
- Chauhan, A. K., Maheshwari, D. K., Kim, K., y Bajpai, V. K. (2016). Termitarium-inhabiting *Bacillus endophyticus* TSH42 and *Bacillus cereus* TSH77 colonizing *Curcuma longa*L.: isolation, characterization, and evaluation of their biocontrol and plant-growth-promoting activities. *Canadian Journal of Microbiology*, 62(10), 880–892. <https://doi.org/10.1139/cjm-2016-0249>
- Chauhan, A., Guleria, S., Balgir, P. P., Walia, A., Mahajan, R., Mehta, P., y Shirkot, C. K. (2017). Tricalcium phosphate solubilization and nitrogen fixation by newly isolated *Aneurinibacillus aneurinilyticus* CKMV1 from rhizosphere of *Valeriana jatamansi* and its growth promotional effect. *Brazilian Journal of Microbiology*, 48(2), 294–304. <https://doi.org/10.1016/j.bjm.2016.12.001>
- Chowdappa, P., Mohan Kumar, S. P., Jyothi Lakshmi, M., y Upadhyay, K. K. (2013). Growth stimulation and induction of systemic resistance in tomato against early and late blight by *Bacillus subtilis* OTPB1 or *Trichoderma harzianum* OTPB3. *Biological Control*, 65(1), 109–117. <https://doi.org/10.1016/j.biocontrol.2012.11.009>
- Cipriano, M. A. P., Lupatini, M., Lopes-Santos, L., da Silva, M. J., Roesch, L. F. W., Destefano, S. A. L., Freitas, S. S., y Kuramae, E. E. (2016).

- Lettuce and rhizosphere microbiome responses to growth promoting *Pseudomonas* species under field conditions. *FEMS Microbiology Ecology*, 92(12), fiw197. <https://doi.org/10.1093/femsec/fiw197>
- Criollo, P. J., Obando, M., Sánchez M., Leonardo, y Bonilla, R. (2012). Effect of plant growth-promoting rhizobacteria (PGPR) associated to *Pennisetum clandestinum* in the altiplano cundiboyacense. *Ciencia Y Tecnología Agropecuaria*, 13(2), 189–195. [http://www.scielo.org.co/scielo.php?script=sci\\_arttext&pid=S012287062012000200009&lng=en&tlng=](http://www.scielo.org.co/scielo.php?script=sci_arttext&pid=S012287062012000200009&lng=en&tlng=)
- De Gregorio, P. R., Michavila, G., Ricciardi Muller, L., de Souza Borges, C., Pomares, M. F., Saccol de Sá, E. L., Pereira, C., y Vincent, P. A. (2017). Beneficial rhizobacteria immobilized in nanofibers for potential application as soybean seed bioinoculants. *PLOS ONE*, 12(5), e0176930. <https://doi.org/10.1371/journal.pone.0176930>
- Dinesh, R., Anandaraj, M., Kumar, A., Bini, Y. K., Subila, K. P., y Aravind, R. (2015). Isolation, characterization, and evaluation of multi-trait plant growth promoting rhizobacteria for their growth promoting and disease suppressing effects on ginger. *Microbiological Research*, 173, 34–43. <https://doi.org/10.1016/j.micres.2015.01.014>
- Dixit, R., Agrawal, L., Gupta, S., Kumar, M., Yadav, S., Chauhan, P. S., y Nautiyal, C. S. (2016). Southern blight disease of tomato control by 1-aminocyclopropane-1-carboxylate (ACC) deaminase producing *Paenibacillus lentimorbus*B-30488. *Plant Signaling & Behavior*, 11(2), e1113363. <https://doi.org/10.1080/15592324.2015.1113363>
- Dutta, J., Handique, P. J., y Thakur, D. (2015). Assessment of Culturable Tea Rhizobacteria Isolated from Tea Estates of Assam, India for Growth Promotion in Commercial Tea Cultivars. *Frontiers in Microbiology*, 6. <https://doi.org/10.3389/fmicb.2015.01252>
- Dutta, J., y Thakur, D. (2017). Evaluation of multifarious plant growth promoting traits, antagonistic potential and phylogenetic affiliation of rhizobacteria associated with commercial tea plants grown in Darjeeling, India. *PLOS ONE*, 12(8), e0182302. <https://doi.org/10.1371/journal.pone.0182302>
- Egamberdiyeva, D. (2007). The effect of plant growth promoting bacteria on growth and nutrient uptake of maize in two different soils. *Applied Soil Ecology*, 36(2-3), 184–189. <https://doi.org/10.1016/j.apsoil.2007.02.005>
- Egamberdieva, D., Jabborova, D., y Hashem, A. (2015). *Pseudomonas* induces salinity tolerance in cotton (*Gossypium hirsutum*) and resistance to Fusarium root rot through the modulation of indole-3-acetic acid. *Saudi Journal of Biological Sciences*, 22(6), 773–779. <https://doi.org/10.1016/j.sjbs.2015.04.019>
- Egamberdieva, D., Wirth, S., Behrendt, U., Abd Allah, E. F., y Berg, G. (2016). Biochar Treatment Resulted in a Combined Effect on Soybean Growth Promotion and a Shift in Plant Growth Promoting Rhizobacteria. *Frontiers in Microbiology*, 7. <https://doi.org/10.3389/fmicb.2016.00209>
- Erturk, Y., Ercisli, S., Haznedar, A., y Cakmakci, R. (2011). Effects of plant growth promoting rhizobacteria (PGPR) on rooting and root growth of kiwifruit (*Actinidia deliciosa*) stem cuttings. *Biological Research*, 43(1). <https://doi.org/10.4067/S0716-9762010000100011>
- Fang, Q., Fan, Z., Xie, Y., Wang, X., Li, K., y Liu, Y. (2016). Screening and Evaluation of the Bio-remediation Potential of Cu/Zn-Resistant, Autochthonous *Acinetobacter* sp. FQ-44 from *Sonchus oleraceus* L. *Frontiers in Plant Science*, 7. <https://doi.org/10.3389/fpls.2016.01487>
- Farina, R., Beneduzi, A., Ambrosini, A., de Campos, S. B., Lisboa, B. B., Wendisch, V., Vargas, L. K., y Passaglia, L. M. P. (2012). Diversity of plant growth-promoting rhizobacteria communities associated with the stages of canola growth. *Applied Soil Ecology*, 55, 44–52. <https://doi.org/10.1016/j.apsoil.2011.12.011>
- Gao, M., Zhou, J., Wang, E., Chen, Q., Xu, J., y Sun, J. (2015). Multiphasic characterization of a plant growth promoting bacterial strain, *Burkholderia* sp. 7016 and its effect on tomato growth in the field. *Journal of Integrative Agriculture*, 14(9), 1855–1863. [https://doi.org/10.1016/s2095-3119\(14\)60932-1](https://doi.org/10.1016/s2095-3119(14)60932-1)
- Gao, N., Shen, W., Kakuta, H., Tanaka, N., Fujiwara, T., Nishizawa, T., Takaya, N., Nagamine, T., Isobe, K., Otsuka, S., y Senoo, K. (2016). Inoculation with nitrous oxide (N<sub>2</sub>O)-reducing

- denitrifier strains simultaneously mitigates N<sub>2</sub>O emission from pasture soil and promotes growth of pasture plants. *Soil Biology and Biochemistry*, 97, 83–91. <https://doi.org/10.1016/j.soilbio.2016.03.004>
- García J. A. Lucas., Domenech, J., Santamaría C., Camacho M., Daza, A., y Mañero, F. Javier. G. (2004). Growth of forest plants (pine and holm-oak) inoculated with rhizobacteria: relationship with microbial community structure and biological activity of its rhizosphere. *Environmental and Experimental Botany*, 52(3), 239–251. <https://doi.org/10.1016/j.envexpbot.2004.02.003>
- George, P., Gupta, A., Gopal, M., Thomas, L., y Thomas, G. V. (2012). Multifarious beneficial traits and plant growth promoting potential of *Serratia marcescens* KiSII and *Enterobacter* sp. RNF 267 isolated from the rhizosphere of coconut palms (*Cocos nucifera* L.). *World Journal of Microbiology and Biotechnology*, 29(1), 109–117. <https://doi.org/10.1007/s11274-012-1163-6>
- George, E., Kumar, S. N., Jacob, J., Bommasani, B., Lankalapalli, R. S., Morang, P., y Kumar, B. S. D. (2015). Characterization of the Bioactive Metabolites from a Plant Growth-Promoting Rhizobacteria and Their Exploitation as Antimicrobial and Plant Growth-Promoting Agents. *Applied Biochemistry and Biotechnology*, 176(2), 529–546. <https://doi.org/10.1007/s12010-015-1593-3>
- Ghorbanpour, M., Hatami, M., Kariman, K., y Abbaspazeh Dahaji, P. (2016). Phytochemical Variations and Enhanced Efficiency of Antioxidant and Antimicrobial Ingredients in *Salvia officinalis* Inoculated with Different Rhizobacteria. *Chemistry & Biodiversity*, 13(3), 319–330. <https://doi.org/10.1002/cbdv.201500082>
- Grover, M., Madhubala, R., Ali, Sk. Z., Yadav, S. K., y Venkateswarlu, B. (2013). Influence of *Bacillus* spp. strains on seedling growth and physiological parameters of sorghum under moisture stress conditions. *Journal of Basic Microbiology*, 54(9), 951–961. <https://doi.org/10.1002/jobm.201300250>
- Gül, A., Özaktan, H., Kidoğlu, F., y Tüzel, Y. (2013). Rhizobacteria promoted yield of cucumber plants grown in perlite under Fusarium wilt stress. *Scientia Horticulturae*, 153, 22–25. <https://doi.org/10.1016/j.scienta.2013.01.004>
- Hahm, M.-S., Sumayo, M., Hwang, Y.-J., Jeon, S.-A., Park, S.-J., Lee, J. Y., Ahn, J.-H., Kim, B.-S., Ryu, C.-M., y Ghim, S.-Y. (2012). Biological control and plant growth promoting capacity of rhizobacteria on pepper under greenhouse and field conditions. *Journal of Microbiology*, 50(3), 380–385. <https://doi.org/10.1007/s12275-012-1477-y>
- Hammami, I., Hsouna, A. B., Hamdi, N., Gdoura, R., y Triki, M. A. (2013). Isolation and characterization of rhizosphere bacteria for the biocontrol of the damping-off disease of tomatoes in Tunisia. *Comptes Rendus Biologies*, 336(11-12), 557–564. <https://doi.org/10.1016/j.crvi.2013.10.006>
- Hariprasad, P., Divakara, S. T., y Niranjana, S. R. (2011). Isolation and characterization of chitinolytic rhizobacteria for the management of Fusarium wilt in tomato. *Crop Protection*, 30(12), 1606–1612. <https://doi.org/10.1016/j.cropro.2011.02.032>
- Hernández-Montiel, L. G., Chiquito Contreras, C. J., Murillo Amador, B., Vidal Hernández, L., Quiñones Aguilar, E. E., y Chiquito Contreras, R. G. (2017). Efficiency of two inoculation methods of *Pseudomonas putida* on growth and yield of tomato plants. *Journal of Soil Science and Plant Nutrition*, 17(4), 1003–1012. <https://doi.org/10.4067/s0718-95162017000400012>
- Hong, S. H., Ryu, H., Kim, J., y Cho, K.-S. (2010). Rhizoremediation of diesel-contaminated soil using the plant growth-promoting rhizobacterium *Gordonia* sp. S2RP-17. *Biodegradation*, 22(3), 593–601. <https://doi.org/10.1007/s10532-010-9432-2>
- Islam, F., Yasmeen, T., Ali, Q., Ali, S., Arif, M. S., Hussain, S., y Rizvi, H. (2014). Influence of *Pseudomonas aeruginosa* as PGPR on oxidative stress tolerance in wheat under Zn stress. *Ecotoxicology and Environmental Safety*, 104, 285–293. <https://doi.org/10.1016/j.ecoenv.2014.03.008>
- Islam, Md. R., Sultana, T., Joe, M. M., Yim, W., Cho, J.-C., y Sa, T. (2013). Nitrogen-fixing bacteria with multiple plant growth-promoting activities enhance growth of tomato and red pepper. *Journal of Basic Microbiology*, 53(12), 1004–1015. <https://doi.org/10.1002/jobm.201200141>
- Iyer, B., Rajput, M. S., y Rajkumar, S. (2017). Effect of succinate on phosphate solubilization in nitrogen fixing bacteria harbouring chick pea and

- their effect on plant growth. *Microbiological Research*, 202, 43–50. <https://doi.org/10.1016/j.micres.2017.05.005>
- Jaderlund, L., Arthurson, V., Granhall, U., y Jansson, J. K. (2008). Specific interactions between arbuscular mycorrhizal fungi and plant growth-promoting bacteria: as revealed by different combinations. *FEMS Microbiology Letters*, 287(2), 174–180. <https://doi.org/10.1111/j.1574-6968.2008.01318.x>
- Jiang, C., Sheng, X., Qian, M., y Wang, Q. (2008). Isolation and characterization of a heavy metal-resistant *Burkholderia* sp. from heavy metal-contaminated paddy field soil and its potential in promoting plant growth and heavy metal accumulation in metal-polluted soil. *Chemosphere*, 72(2), 157–164. <https://doi.org/10.1016/j.chemosphere.2008.02.006>
- Kakar, K. U., Nawaz, Z., Cui, Z., Almoneafy, A. A., Ullah, R., y Shu, Q.-Y. . (2018). Rhizosphere-associated Alcaligenes and *Bacillus* strains that induce resistance against blast and sheath blight diseases, enhance plant growth and improve mineral content in rice. *Journal of Applied Microbiology*, 124(3), 779–796. <https://doi.org/10.1111/jam.13678>
- Kapoor, R., Gupta, M. K., Kumar, N., y Kanwar, S. S. (2017). Analysis of *nhaA* gene from salt tolerant and plant growth promoting *Enterobacter ludwigii*. *Rhizosphere*, 4, 62–69. <https://doi.org/10.1016/j.rhisph.2017.07.002>
- Karthiba, L., Saveetha, K., Suresh, S., Raguchander, T., Saravanakumar, D., y Samiyappan, R. (2010). PGPR and entomopathogenic fungus bioformulation for the synchronous management of leaffolder pest and sheath blight disease of rice. *Pest Management Science*, 66(5), 555–564. <https://doi.org/10.1002/ps.1907>
- Kang, S.-M., Joo, G.-J., Hamayun, M., Na, C.-I., Shin, D.-H., Kim, H. Y., Hong, J.-K., y Lee, I.-J. (2008). Gibberellin production and phosphate solubilization by newly isolated strain of *Acinetobacter calcoaceticus* and its effect on plant growth. *Biotechnology Letters*, 31(2), 277–281. <https://doi.org/10.1007/s10529-008-9867-2>
- Kang, S.-M., Khan, A. L., Hamayun, M., Hussain, J., Joo, G.-J., You, Y.-H., Kim, J.-G., y Lee, I.-J. (2012). Gibberellin-producing *Promicromonospora* sp. SE188 improves *Solanum lycopersicum* plant growth and influences endogenous plant hormones. *Journal of Microbiology*, 50(6), 902–909. <https://doi.org/10.1007/s12275-012-2273-4>
- Kavamura, V. N., Santos, S. N., Silva, J. L. da, Parma, M. M., Ávila, L. A., Visconti, A., Zucchi, T. D., Taketani, R. G., Andreato, F. D., y Melo, I. S. de. (2013). Screening of Brazilian cacti rhizobacteria for plant growth promotion under drought. *Microbiological Research*, 168(4), 183–191. <https://doi.org/10.1016/j.micres.2012.12.002>
- Khan, N. y Bano A. (2016). Role of plant growth promoting rhizobacteria and Ag-nano particle in the bioremediation of heavy metals and maize growth under municipal wastewater irrigation. *International Journal of Phytoremediation*, 18 (3), 211–221. <https://doi.org/10.1080/15226514.2015.1064352>
- Kim, W.-I. (2011). Genetic Diversity of Cultivable Plant Growth-Promoting Rhizobacteria in Korea. *Journal of Microbiology and Biotechnology*, 21(8), 777–790. <https://doi.org/10.4014/jmb.1101.01031>
- Kuan, K. B., Othman, R., Abdul Rahim, K., y Sham-suddin, Z. H. (2016). Plant Growth-Promoting Rhizobacteria Inoculation to Enhance Vegetative Growth, Nitrogen Fixation and Nitrogen Remobilisation of Maize under Greenhouse Conditions. *PLOS ONE*, 11(3), e0152478. <https://doi.org/10.1371/journal.pone.0152478>
- Kumar, A., Maurya, B. R., y Raghuvanshi, R. (2014). Isolation and characterization of PGPR and their effect on growth, yield and nutrient content in wheat (*Triticum aestivum* L.). *Biocatalysis and Agricultural Biotechnology*, 3(4), 121–128. <https://doi.org/10.1016/j.bcab.2014.08.003>
- Kumar, A., Vandana, Singh, M., Singh, P. P., Singh, S. K., Singh, P. K., y Pandey, K. D. (2016). Isolation of plant growth promoting rhizobacteria and their impact on growth and curcumin content in *Curcuma longa* L. *Biocatalysis and Agricultural Biotechnology*, 8, 1–7. <https://doi.org/10.1016/j.bcab.2016.07.002>
- Kumar, H., Dubey, R. C., y Maheshwari, D. K. (2011). Effect of plant growth promoting rhizobia on seed germination, growth promotion and suppression of Fusarium wilt of fenugreek (*Tigonella foenum-graecum* L.). *Crop Protection*, 30(11), 1396–1403. <https://doi.org/10.1016/j.cropro.2011.05.001>

- Kumar, H., Dubey, R. C., y Maheshwari, D. K. (2017). Seed-coating fenugreek with Burkholderia rhizobacteria enhances yield in field trials and can combat Fusarium wilt. *Rhizosphere*, 3, 92-99. <https://doi.org/10.1016/j.rhisph.2017.01.004>
- Kumar, K., Amaresan, N., y Madhuri, K. (2017). Alleviation of the adverse effect of salinity stress by inoculation of plant growth promoting rhizobacteria isolated from hot humid tropical climate. *Ecological Engineering*, 102, 361-366. <https://doi.org/10.1016/j.ecoleng.2017.02.023>
- Kumar, M., Mishra, S., Dixit, V., Kumar, M., Agarwal, L., Chauhan, P. S., y Nautiyal, C. S. (2016). Synergistic effect of *Pseudomonas putida* and *Bacillus amyloliquefaciens* ameliorates drought stress in chickpea (*Cicer arietinum* L.). *Plant Signaling & Behavior*, 11(1), e1071004. <https://doi.org/10.1080/15592324.2015.1071004>
- Kumar, R., Das, A. J., y Juwarkar, A. A. (2014). Reclamation of petrol oil contaminated soil by rhamnolipids producing PGPR strains for growing *Withania somnifera* a medicinal shrub. *World Journal of Microbiology and Biotechnology*, 31(2), 307-313. <https://doi.org/10.1007/s11274-014-1782-1>
- Kumar, S., Pandey, P., y Maheshwari, D. K. (2009). Reduction in dose of chemical fertilizers and growth enhancement of sesame (*Sesamum indicum* L.) with application of rhizospheric competent *Pseudomonas aeruginosa* LES4. *European Journal of Soil Biology*, 45(4), 334-340. <https://doi.org/10.1016/j.ejsobi.2009.04.002>
- Kumar, V., Kumar, A., y Kharwar, R.N. (2007). Antagonistic potential of fluorescent pseudomonads and control of charcoal rot of chickpea caused by *Macrophomina phaseolina*. *Journal of Environmental Biology*, 28(1).
- Kumar, V., Singh, P., Jorquera, M. A., Sangwan, P., Kumar, P., Verma, A. K., y Agrawal, S. (2013). Isolation of phytase-producing bacteria from Himalayan soils and their effect on growth and phosphorus uptake of Indian mustard (*Brassica juncea*). *World Journal of Microbiology and Biotechnology*, 29(8), 1361-1369. <https://doi.org/10.1007/s11274-013-1299-z>
- Krishnan, R., Menon, R. R., Likhitha, Busse, H.-J., Tanaka, N., Krishnamurthi, S., y Rameshkumar, N. (2017). Novosphingobium pokkali sp nov, a novel rhizosphere-associated bacterium with plant beneficial properties isolated from saline-tolerant pokkali rice. *Research in Microbiology*, 168(2), 113-121. <https://doi.org/10.1016/j.resmic.2016.09.001>
- Lamsal, K., Kim, S. W., Kim, Y. S., y Lee, Y. S. (2012). Application of Rhizobacteria for Plant Growth Promotion Effect and Biocontrol of Anthracnose Caused by *Colletotrichum acutatum* on Pepper. *Mycobiology*, 40(4), 244-251. <https://doi.org/10.5941/myco.2012.40.4.244>
- Lamsal, K. (2013). Biocontrol of Late Blight and Plant Growth Promotion in Tomato Using Rhizobacterial Isolates. *Journal of Microbiology and Biotechnology*, 23(7), 897-904. <https://doi.org/10.4014/jmb.1209.09069>
- Lavakush, Yadav, J., Verma, J. P., Jaiswal, D. K., y Kumar, A. (2014). Evaluation of PGPR and different concentration of phosphorus level on plant growth, yield and nutrient content of rice (*Oryza sativa*). *Ecological Engineering*, 62, 123-128. <https://doi.org/10.1016/j.ecoleng.2013.10.013>
- Li, S., Wang, J., Gao, N., Liu, L., y Chen, Y. (2017). The effects of *Pantoea* sp. strain Y4-4 on alfalfa in the remediation of heavy-metal-contaminated soil, and auxiliary impacts of plant residues on the remediation of saline-alkali soils. *Canadian Journal of Microbiology*, 63(4), 278-286. <https://doi.org/10.1139/cjm-2016-0369>
- Li, B., Xie, G., Soad, A., y Coosemans, J. (2005). Suppression of *Meloidogyne javanica* by antagonistic and plant growth-promoting rhizobacteria. *Journal of Zhejiang University SCIENCE*, 6B(6), 496-501. <https://doi.org/10.1631/jzus.2005.b0496>
- Liu, D., Yang, Q., Ge, K., Hu, X., Qi, G., Du, B., Liu, K., y Ding, Y. (2017). Promotion of iron nutrition and growth on peanut by *Paenibacillus illinoiensis* and *Bacillus* sp. strains in calcareous soil. *Brazilian Journal of Microbiology*, 48(4), 656-670. <https://doi.org/10.1016/j.bjm.2017.02.006>
- Mahmood, S., Daur, I., Al-Solaimani, S.G., Ahmad, S., Madkour, M.H., y Yasir, M. (2016). Plant growth promoting rhizobacteria and silicon synergistically enhance salinity tolerance of mung bean. *Front Plant* 7, 876. DOI: 10.3389/fpls.2016.00876
- Martins, S. J., Rocha, G. A., de Melo, H. C., de Castro Georg, R., Ulhôa, C. J., de Campos Dianese,

- É., Oshiquiri, L. H., da Cunha, M. G., da Rocha, M. R., de Araújo, L. G., Vaz, K. S., y Dunlap, C. A. (2018). Plant-associated bacteria mitigate drought stress in soybean. *Environmental Science and Pollution Research*, 25(14), 13676–13686. <https://doi.org/10.1007/s11356-018-1610-5>
- Martins da Costa, E., de Lima, W., Oliveira-Lon-gatti, S. M., y de Souza, F. M. (2015). Phosphate-solubilising bacteria enhance *Oryza sativa* growth and nutrient accumulation in an oxisol fertilized with rock phosphate. *Ecological Engineering*, 83, 380–385. <https://doi.org/10.1016/j.ecoleng.2015.06.045>
- Martínez, L., Martínez Peniche, Ramón A., Hernández Iturriaga, Montserrat, Arvizu Medrano, Sofía M., y Juan. (2013). Caracterización de rizobacte-rias aisladas de tomate y su efecto en el creci-miento de tomate y pimiento. *Revista Fitotecnia Mexicana*, 36(1), 63–69. [http://www.scielo.org.mx/scielo.php?script=sci\\_arttext&pid=S018773802013000100007&lng=es&tlng=es](http://www.scielo.org.mx/scielo.php?script=sci_arttext&pid=S018773802013000100007&lng=es&tlng=es)
- Mehta, P., Walia, A., Kulshrestha, S., Chauhan, A., y Shirkot, C. K. (2014). Efficiency of plant growth-promoting P-solubilizing *Bacillus circulans* CB7 for enhancement of tomato growth under net house conditions. *Journal of Basic Microbiology*, 55(1), 33–44. <https://doi.org/10.1002/jobm.201300562>
- Molina-Romero, D., Baez, A., Quintero-Hernán-dez, V., Castañeda-Lucio, M., Fuentes-Ramírez, L. E., Bustillos-Cristales, M. del R., Rodríguez-Andrade, O., Morales-García, Y. E., Munive, A., y Muñoz-Rojas, J. (2017). Compatible bacterial mixture, tolerant to desiccation, improves maize plant growth. *PLOS ONE*, 12(11), e0187913. <https://doi.org/10.1371/journal.pone.0187913>
- Moreira, A. L. de L., y Araújo, F. F. de. (2013). Bioprospecção de isolados de *Bacillus* spp. como potenciais promotores de crescimen-to de *Eucalyptus urograndis*. *Revista Árvore*, 37(5), 933–943. <https://doi.org/10.1590/s0100-67622013000500016>
- Mora, M. de la L., Demanet, R., Acuña, J. J., Vis-cardi, S., Jorquera, M., Rengel, Z., y Durán, P. (2017). Aluminum-tolerant bacteria improve the plant growth and phosphorus content in ryegrass grown in a volcanic soil amended with cattle dung manure. *Applied Soil Ecology*, 115, 19–26. <https://doi.org/10.1016/j.apsoil.2017.03.013>
- Morgado González, A., Espinosa Victoria, D., y Gómez Merino, F. C. (2015). Eficiencia de las bacterias promotoras del crecimiento vegetal (BPCV) en caña de azúcar. *Terra Latinoame-riana*, 33(4), 321–330. [http://www.scielo.org.mx/scielo.php?script=sci\\_abstract&pid=S0187-57792015000400321&lng=es&nrm=iso](http://www.scielo.org.mx/scielo.php?script=sci_abstract&pid=S0187-57792015000400321&lng=es&nrm=iso)
- Mukhtar, S., Shahid, I., Mehnaz, S., y Malik, K. (2017). Assessment of two carrier materials for phosphate solubilizing biofertilizers and their effect on growth of wheat (*Triticum aestivum* L.). *Microbiological Research* 205, 107–117. <https://doi.org/10.1016/j.micres.2017.08.011>
- Nadeem, S. M., Zahir, Z. A., Naveed, M., y Arshad, M. (2007). Preliminary investigations on inducing salt tolerance in maize through inoculation with rhizobacteria containing ACC deaminase activity. *Canadian Journal of Microbiology*, 53(10), 1141–1149. <https://doi.org/10.1139/w07-081>
- Narendra Babu, A., Jogaiah, S., Ito, S., Kestur Na-garaj, A., y Tran, L.-S. P. (2015). Improvement of growth, fruit weight and early blight disea-se protection of tomato plants by rhizosphere bacteria is correlated with their beneficial traits and induced biosynthesis of antioxidant pero-xidase and polyphenol oxidase. *Plant Science*, 231, 62–73. <https://doi.org/10.1016/j.plantsci.2014.11.006>
- Ogata-Gutiérrez, K., Chumpitaz-Segovia, C., Lirio-Paredes, J., Finetti-Sialer, M. M., y Zúñiga-Dávi-la, D. (2017). Characterization and potential of plant growth promoting rhizobacteria isolated from native Andean crops. *World Journal of Mi-crobiology and Biotechnology*, 33(11). <https://doi.org/10.1007/s11274-017-2369-4>
- Pandey, A., Sharma, E., y Palni, L. M. S. (1998). Influence of bacterial inoculation on maize in upland farming systems of the Sikkim Himalaya. *Soil Biology and Biochemistry*, 30(3), 379–384. [https://doi.org/10.1016/s0038-0717\(97\)00121-1](https://doi.org/10.1016/s0038-0717(97)00121-1)
- Panwar, M., Tewari, R., y Nayyar, H. (2016). Native halo-tolerant plant growth promoting rhizobac-teria *Enterococcus* and *Pantoea* sp. improve seed yield of Mungbean (*Vigna radiata* L.) under soil salinity by reducing sodium uptake and stress in-jury. *Physiology and Molecular Biology of Plants*, 22(4), 445–459. <https://doi.org/10.1007/s12298-016-0376-9>

- Park, K., Park, J.-W., Lee, S.-W., y Balaraju, K. (2013). Disease suppression and growth promotion in cucumbers induced by integrating PGPR agent *Bacillus subtilis* strain B4 and chemical elicitor ASM. *Crop Protection*, 54, 199–205. <https://doi.org/10.1016/j.cropro.2013.08.017>
- Park, J.-W., Balaraju, K., Kim, J.-W., Lee, S.-W., y Park, K. (2013). Systemic resistance and growth promotion of chili pepper induced by an antibiotic producing *Bacillus vallismortis* strain BS07. *Biological Control*, 65(2), 246–257. <https://doi.org/10.1016/j.biocontrol.2013.02.002>
- Pereira, S. I. A., y Castro, P. M. L. (2014). Phosphate-solubilizing rhizobacteria enhance *Zea mays* growth in agricultural P-deficient soils. *Eco-logical Engineering*, 73, 526–535. <https://doi.org/10.1016/j.ecoleng.2014.09.060>
- Perez-Pazos, J.V., y Sánchez-López, D.B. (2017). Characterization and effect of *Azotobacter*, *Azospirillum* and *Pseudomonas* associated with Ipomoea Batatas of Colombian Caribbean. *Rev. Colomb.Biotecnol.* 19(2), 35-46. <https://doi.org/10.15446/rev.colomb.biote.v19n2.69471>
- Piromyou, P., Buranabanyat, B., Tantasawat, P., Tittabutr, P., Boonkerd, N., y Teaumroong, N. (2011). Effect of plant growth promoting rhizobacteria (PGPR) inoculation on microbial community structure in rhizosphere of forage corn cultivated in Thailand. *European Journal of Soil Biology*, 47(1), 44–54. <https://doi.org/10.1016/j.ejsobi.2010.11.004>
- Piromyou, P., Noisangiam, R., Uchiyama, H., Tittabutr, P., Boonkerd, N., y Teaumroong, N. (2013). Indigenous Microbial Community Structure in Rhizosphere of Chinese Kale as Affected by Plant Growth-Promoting Rhizobacteria Inoculation. *Pedosphere*, 23(5), 577–592. [https://doi.org/10.1016/s1002-0160\(13\)60051-x](https://doi.org/10.1016/s1002-0160(13)60051-x)
- Posada, L. F., Ramírez, M., Ochoa-Gómez, N., Cueillar-Gaviria, T. Z., Argel-Roldan, L. E., Ramírez, C. A., y Villegas-Escobar, V. (2016). Bioprospecting of aerobic endospore-forming bacteria with biotechnological potential for growth promotion of banana plants. *Scientia Horticulturae*, 212, 81–90. <https://doi.org/10.1016/j.scienta.2016.09.040>
- Prakamhang, J., Tittabutr, P., Boonkerd, N., Teamtisong, K., Uchiumi, T., Abe, M., y Teaumroong, N. (2015). Proposed some interactions at molecular level of PGPR coinoculated with *Bradyrhizobium diazoefficiens* USDA110 and *B. japonicum* THA6 on soybean symbiosis and its potential of field application. *Applied Soil Ecology*, 85, 38–49. <https://doi.org/10.1016/j.apsoil.2014.08.009>
- Prasannakumar, S. P., Gowtham, H. G., Hariprasad, P., Shivaprasad, K., y Niranjana, S. R. (2015). *Delftia tsuruhatensis* WGR-UOM-BT1, a novel rhizobacterium with PGPR properties from *Rauvolfia serpentina* (L.) Benth. ex Kurz also suppresses fungal phytopathogens by producing a new antibiotic-AMTM. *Letters in Applied Microbiology*, 61(5), 460–468. <https://doi.org/10.1111/lam.12479>
- Prabhukarthikeyan, R., Saravanakumar, D., y Rauchander, T. (2014). Combination of endophytic *Bacillus* and *Beauveria* for the management of *Fusarium* wilt and fruit borer in tomato. *Pest Management Science*, 70(11), 1742–1750. <https://doi.org/10.1002/ps.3719>
- Priyanka, Agrawal, T., Kotasthane, A. S., Kosheria, A., Kushwah, R., Zaidi, N. W., y Singh, U. S. (2017). Crop specific plant growth promoting effects of ACCd enzyme and siderophore producing and cynogenic fluorescent *Pseudomonas*. *3 Biotech*, 7(1). <https://doi.org/10.1007/s13205-017-0602-3>
- Príncipe, A., Alvarez, F., Castro, M. G., Zachi, L., Fischer, S. E., Mori, G. B., y Jofré, E. (2007). Biocontrol and PGPR Features in Native Strains Isolated from Saline Soils of Argentina. *Current Microbiology*, 55(4), 314–322. <https://doi.org/10.1007/s00284-006-0654-9>
- Rana, A., Joshi, M., Prasanna, R., Shivay, Y. S., y Nain, L. (2012). Biofortification of wheat through inoculation of plant growth promoting rhizobacteria and cyanobacteria. *European Journal of Soil Biology*, 50, 118–126. <https://doi.org/10.1016/j.ejsobi.2012.01.005>
- Ramesh, R., y Phadke, G. S. (2012). Rhizosphere and endophytic bacteria for the suppression of eggplant wilt caused by *Ralstonia solanacearum*. *Crop Protection*, 37, 35–41. <https://doi.org/10.1016/j.cropro.2012.02.008>
- Rizvi, A., y Khan, M.S. (2018). Heavy metal induced oxidative damage and root morphology alterations of maize (*Zea mays* L.) plants and stress

- mitigation by metal tolerant nitrogen fixing Azotobacter chroococcum. *Ecotoxicol Environ.* 157, 9–20. DOI: 10.1016/j.ecoenv.2018.03.063
- Romero-Perdomo, F., Abril, J., Camelo, M., Moreno-Galván, A., Pastrana, I., Rojas-Tapias, D., y Bonilla, R. (2017). Azotobacter chroococcum as a potentially useful bacterial biofertilizer for cotton (*Gossypium hirsutum*): Effect in reducing N fertilization. *Revista Argentina de Microbiología*, 49(4), 377–383. <https://doi.org/10.1016/j.ram.2017.04.006>
- Russo, A., Vettori, L., Felici, C., Fiaschi, G., Morini, S., y Toffanin, A. (2008). Enhanced micropropagation response and biocontrol effect of Azospirillum brasiliense Sp245 on *Prunus cerasifera* L. clone Mr.S 2/5 plants. *Journal of Biotechnology*, 134(3-4), 312–319. <https://doi.org/10.1016/j.jbiotec.2008.01.020>
- Ryu, C.-M., Kim, J., Choi, O., Kim, S. H., y Park, C. S. (2006). Improvement of biological control capacity of *Paenibacillus polymyxa* E681 by seed pelleting on sesame. *Biological Control*, 39(3), 282–289. <https://doi.org/10.1016/j.biocntrol.2006.04.014>
- Saber, F. M. A., Abdelhafez, A. A., Hassan, E. A., y Ramadan, E. M. (2015). Characterization of fluorescent pseudomonads isolates and their efficiency on the growth promotion of tomato plant. *Annals of Agricultural Sciences*, 60(1), 131–140. <https://doi.org/10.1016/j.aoas.2015.04.007>
- Sandilya, S. P., Bhuyan, P. M., Nageshappa, V., Googi, D. K., y Kardong, D. (2017). Impact of *Pseudomonas aeruginosa* MAJ PIA03 affecting the growth and phytonutrient production of castor, a primary host-plant of *Samia ricini*. *Journal of Soil Science and Plant Nutrition*, ahead. <https://doi.org/10.4067/s0718-95162017005000036>
- Sanchez López, D. B., García Hoyos, A. M., Romero Perdomo, F. A., y Bonilla Buitrago, R. R. (2014). Efecto de rizobacterias promotoras de crecimiento vegetal solubilizadoras de fosfato en *Lactuca sativa* cultivar White Boston. *Revista Colombiana de Biotecnología*, 16(2), 122–128. <https://doi.org/10.15446/rev.colomb.biote.v16n2.41077>
- Sarathambal, C., Khankhane, P. J., Gharde, Y., Kumar, B., Varun, M., y Arun, S. (2016). The effect of plant growth-promoting rhizobacteria on the growth, physiology, and Cd uptake of *Arundo donax* L. *International Journal of Phytoremediation*, 19(4), 360–370. <https://doi.org/10.1080/1526514.2016.1225289>
- Saravanakumar, D., y Samiyappan, R. (2007). ACC deaminase from *Pseudomonas fluorescens* mediated saline resistance in groundnut (*Arachis hypogaea*) plants. *Journal of Applied Microbiology*, 102(5), 1283–1292. <https://doi.org/10.1111/j.1365-2672.2006.03179.x>
- Sarathambal, C., Ilamurugu, K., Balachandar, D., Chinnadurai, C., y Gharde, Y. (2015). Characterization and crop production efficiency of diazotrophic isolates from the rhizosphere of semi-arid tropical grasses of India. *Applied Soil Ecology*, 87, 1–10. <https://doi.org/10.1016/j.apsoil.2014.11.004>
- Sarbadhikary, S. B., y Mandal, N. C. (2017). Field application of two plant growth promoting rhizobacteria with potent antifungal properties. *Rhizosphere*, 3, 170–175. <https://doi.org/10.1016/j.rhisph.2017.04.014>
- Shakeel, M., Rais, A., Hassan, M. N., y Hafeez, F. Y. (2015). Root Associated *Bacillus* sp. Improves Growth, Yield and Zinc Translocation for Basmati Rice (*Oryza sativa*) Varieties. *Frontiers in Microbiology*, 6. <https://doi.org/10.3389/fmicb.2015.01286>
- Shahroona, B., Jamro, G.M., Zahir, Z.A., Arshad, M., y Memon, K.S. (2015). Effectiveness of various *Pseudomonas* spp. and *Burkholderia caryophylli* containing ACC-deaminase for improving growth and yield of wheat (*Triticum aestivum* L.). *Journal of Microbiology and Biotechnology*, 17(8). <https://www.researchgate.net/publication/5795684>
- Shahzad, S. M., Khalid, A., Arshad, M., Tahir, J., y Mahmood, T. (2010). Improving nodulation, growth and yield of *Cicer arietinum* L. through bacterial ACC-deaminase induced changes in root architecture. *European Journal of Soil Biology*, 46(5), 342–347. <https://doi.org/10.1016/j.ejsobi.2010.05.007>
- Shahzad, S. M., Arif, M. S., Riaz, M., Iqbal, Z., y Ashraf, M. (2013). PGPR with varied ACC-deaminase activity induced different growth and yield response in maize (*Zea mays* L.) under fertilized conditions. *European Journal of Soil Biology*, 57, 27–34. <https://doi.org/10.1016/j.ejsobi.2013.04.002>

- Shahzad, S. M., Arif, M. S., Riaz, M., Ashraf, M., Yasmeen, T., Zaheer, A., Bragazza, L., Buttler, A., y Robroek, B. J. M. (2017). Interaction of compost additives with phosphate solubilizing rhizobacteria improved maize production and soil biochemical properties under dryland agriculture. *Soil and Tillage Research*, 174, 70–80. <https://doi.org/10.1016/j.still.2017.06.004>
- Shahid, M., Ahmed, B., y Khan, M. S. (2018). Evaluation of microbiological management strategy of herbicide toxicity to greengram plants. *Biocatalysis and Agricultural Biotechnology*, 14, 96–108. <https://doi.org/10.1016/j.bcab.2018.02.009>
- Shaikh, S., y Saraf, M. (2017). Biofortification of *Triticum aestivum* through the inoculation of zinc solubilizing plant growth promoting rhizobacteria in field experiment. *Biocatalysis and Agricultural Biotechnology*, 9, 120–126. <https://doi.org/10.1016/j.bcab.2016.12.008>
- Sharma, M., Mishra, V., Rau, N., y Sharma, R. S. (2015). Increased iron-stress resilience of maize through inoculation of siderophore-producing *Arthrobacter globiformis* from mine. *Journal of Basic Microbiology*, 56(7), 719–735. <https://doi.org/10.1002/jobm.201500450>
- Sharma, S., Kulkarni, J., y Jha, B. (2016). Halotolerant Rhizobacteria Promote Growth and Enhance Salinity Tolerance in Peanut. *Frontiers in Microbiology*, 7. <https://doi.org/10.3389/fmicb.2016.01600>
- Sharaff, M., Kamat, S., y Archana, G. (2017). Analysis of copper tolerant rhizobacteria from the industrial belt of Gujarat, western India for plant growth promotion in metal polluted agriculture soils. *Ecotoxicology and Environmental Safety*, 138, 113–121. <https://doi.org/10.1016/j.ecoenv.2016.12.023>
- Shen, M., Jun Kang, Y., Li Wang, H., Sheng Zhang, X., y Xin Zhao, Q. (2012). Effect of Plant Growth-promoting Rhizobacteria (PGPRs) on plant growth, yield, and quality of tomato (*Lycopersicon esculentum* Mill.) under simulated seawater irrigation. *The Journal of General and Applied Microbiology*, 58(4), 253–262. <https://doi.org/10.2323/jgam.58.253>
- Sottero, A. N., Freitas, S. dos S., Melo, A. M. T. de, y Trani, P. E. (2006). Rizobactérias e alface: colonização rizosférica, promoção de crescimento e controle biológico. *Revista Brasileira de Ciência Do Solo*, 30(2), 225–234. <https://doi.org/10.1590/s0100-06832006000200004>
- Stefan, M., Munteanu, N., Stoleru, V., Mihasan, M., y Hritcu, L. (2013). Seed inoculation with plant growth promoting rhizobacteria enhances photosynthesis and yield of runner bean (*Phaseolus coccineus* L.). *Scientia Horticulturae*, 151, 22–29. <https://doi.org/10.1016/j.scienta.2012.12.006>
- Suarez, C., Cardinale, M., Ratering, S., Steffens, D., Jung, S., Montoya, A. M. Z., Geissler-Plaum, R., y Schnell, S. (2015). Plant growth-promoting effects of *Hartmannibacter diazotrophicus* on summer barley (*Hordeum vulgare* L.) under salt stress. *Applied Soil Ecology*, 95, 23–30. <https://doi.org/10.1016/j.apsoil.2015.04.017>
- Sundaramoorthy, S., Raguchander, T., Ragupathi, N., y Samiyappan, R. (2011). Combinatorial effect of endophytic and plant growth promoting rhizobacteria against wilt disease of *Capsicum annuum* L. caused by *Fusarium solani*. *Biological Control*. <https://doi.org/10.1016/j.biocontrol.2011.10.002>
- Sunar, K., Dey, P., Chakraborty, U., y Chakraborty, B. (2013). Biocontrol efficacy and plant growth promoting activity of *Bacillus altitudinis* isolated from Darjeeling hills, India. *Journal of Basic Microbiology*, 55(1), 91–104. <https://doi.org/10.1002/jobm.201300227>
- Sun, G., Yao, T., Feng, C., Chen, L., Li, J., y Wang, L. (2017). Identification and biocontrol potential of antagonistic bacteria strains against *Sclerotinia sclerotiorum* and their growth-promoting effects on *Brassica napus*. *Biological Control*, 104, 35–43. <https://doi.org/10.1016/j.biocontrol.2016.10.008>
- Thampi, A., y Bhai, R. S. (2017). Rhizosphere actinobacteria for combating *Phytophthora capsici* and *Sclerotium rolfsii*, the major soil borne pathogens of black pepper (*Piper nigrum* L.). *Biological Control*, 109, 1–13. <https://doi.org/10.1016/j.biocontrol.2017.03.006>
- Thakur, R., Sharma, K. C., Gulati, A., Sud, R. K., y Gulati, A. (2017). Stress-Tolerant *Viridibacillus arenosi* Strain IHB B 7171 from Tea Rhizosphere as a Potential Broad-Spectrum Microbial Inoculant. *Indian Journal of Microbiology*, 57(2), 195–200. <https://doi.org/10.1007/s12088-017-0642-8>

- Trivedi, P., y Pandey, A. (2008). Plant growth promotion abilities and formulation of *Bacillus megalasterium* strain B 388 (MTCC6521) isolated from a temperate Himalayan location. *Indian Journal of Microbiology*, 48(3), 342–347. <https://doi.org/10.1007/s12088-008-0042-1>
- Upadhyay, S. K., Singh, J. S., Saxena, A. K., y Singh, D. P. (2011). Impact of PGPR inoculation on growth and antioxidant status of wheat under saline conditions. *Plant Biology*, 14(4), 605–611. <https://doi.org/10.1111/j.1438-8677.2011.00533.x>
- Verma, J. P., Yadav, J., Tiwari, K. N., y Kumar, A. (2013). Effect of indigenous *Mesorhizobium* spp. and plant growth promoting rhizobacteria on yields and nutrients uptake of chickpea (*Cicer arietinum* L.) under sustainable agriculture. *Ecological Engineering*, 51, 282–286. <https://doi.org/10.1016/j.ecoleng.2012.12.022>
- Vivekananthan, R., Ravi, M., Saravanakumar, D., Kumar, N., Prakasam, V., y Samiyappan, R. (2004). Microbially induced defense related proteins against postharvest anthracnose infection in mango. *Crop Protection*, 23(11), 1061–1067. <https://doi.org/10.1016/j.cropro.2004.03.014>
- Vurukonda, S. S. K. P., Vardharajula, S., Shrivastava, M., y SkZ, A. (2016). Multifunctional *Pseudomonas putida* strain FBKV2 from arid rhizosphere soil and its growth promotional effects on maize under drought stress. *Rhizosphere*, 1, 4–13. <https://doi.org/10.1016/j.rhisph.2016.07.005>
- Wang, X., Mavrodi, D. V., Ke, L., Mavrodi, O. V., Yang, M., Thomashow, L. S., Zheng, N., Weller, D. M., y Zhang, J. (2014). Biocontrol and plant growth-promoting activity of rhizobacteria from Chinese fields with contaminated soils. *Microbial Biotechnology*, 8(3), 404–418. <https://doi.org/10.1111/1751-7915.12158>
- Wang, Q., Xiong, D., Zhao, P., Yu, X., Tu, B., y Wang, G. (2011). Effect of applying an arsenic-resistant and plant growth-promoting rhizobacterium to enhance soil arsenic phytoremediation by *Populus deltoides* LH05-17. *Journal of Applied Microbiology*, 111(5), 1065–1074. <https://doi.org/10.1111/j.1365-2672.2011.05142.x>
- Wahla, V., Maheshwari, D. K., y Bajpai, V. K. (2012). Nematicidal fluorescent pseudomonads for the in vitro and in vivo suppression of root knot (*Meloidogyne incognita*) of *Capsicum annuum* L. *Pest Management Science*, 68(8), 1148–1155. <https://doi.org/10.1002/ps.3276>
- Wei, X., Pei-sheng, Y., Han-qi, W. y Feng, L. (2014). Antagonizing *Aspergillus parasiticus* and Promoting Peanut Growth of *Bacillus* Isolated from Peanut Geocarposphere Soil. *Journal of Integrative Agriculture*, 13(11), 2445–2451. doi: 10.1016/S2095-3119(13)60609-7
- Weselowski, B., Nathoo, N., Eastman, A. W., Macdonald, J., y Yuan, Z.-C. (2016). Isolation, identification and characterization of *Paenibacillus polymyxa* CR1 with potentials for biopesticide, biofertilization, biomass degradation and biofuel production. *BMC Microbiology*, 16(1). <https://doi.org/10.1186/s12866-016-0860-y>
- Wong, W.-T., Tseng, C.-H., Hsu, S.-H., Lur, H.-S., Mo, C.-W., Huang, C.-N., Hsu, S.-C., Lee, K.-T., y Liu, C.-T. (2014). Promoting Effects of a Single *Rhodopseudomonas palustris* Inoculant on Plant Growth by *Brassica rapa chinensis* under Low Fertilizer Input. *Microbes and Environments*, 29(3), 303–313. <https://doi.org/10.1264/jsme2.me14056>
- Wu, Y., Zhao, C., Farmer, J., y Sun, J. (2015). Effects of bio-organic fertilizer on pepper growth and *Fusarium* wilt biocontrol. *Scientia Horticulturae*, 193, 114–120. <https://doi.org/10.1016/j.scientia.2015.06.039>
- Xiang, N., Lawrence, K.S., Kloepper, J.W., Donald, P.A., y McInroy, J.A. (2017). Biological control of *Heterodera glycines* by spore-forming plant growth-promoting rhizobacteria (PGPR) on soybean. *PLoS ONE* 12, 7. DOI: 10.1371/journal.pone.0181201
- Xu, S. J., y Kim, B. S. (2014). Biocontrol of *Fusarium* Crown and Root Rot and Promotion of Growth of Tomato by *Paenibacillus* Strains Isolated from Soil. *Mycobiology*, 42(2), 158–166. <https://doi.org/10.5941/myco.2014.42.2.158>
- Yadav, J., y Verma, J. P. (2014). Effect of seed inoculation with indigenous Rhizobium and plant growth promoting rhizobacteria on nutrients uptake and yields of chickpea (*Cicer arietinum* L.). *European Journal of Soil Biology*, 63, 70–77. <https://doi.org/10.1016/j.ejsobi.2014.05.001>
- Zaheer, A., Mirza, B. S., Mclean, J. E., Yasmin, S., Shah, T. M., Malik, K. A., y Mirza, M. S. (2016).

- Association of plant growth-promoting *Serratia* spp. with the root nodules of chickpea. Research in Microbiology, 167(6), 510–520. <https://doi.org/10.1016/j.resmic.2016.04.001>
- Zahid, M., Abbasi, M. K., Hameed, S., y Rahim, N. (2015). Isolation and identification of indigenous plant growth promoting rhizobacteria from Himalayan region of Kashmir and their effect on improving growth and nutrient contents of maize (*Zea mays* L.). Frontiers in Microbiology, 6. <https://doi.org/10.3389/fmicb.2015.00207>
- Zhao, D., Zhao, H., Zhao, D., Zhu, X., Wang, Y., Duan, Y., Xuan, Y., y Chen, L. (2018). Isolation and identification of bacteria from rhizosphere soil and their effect on plant growth promotion and root-knot nematode disease. Biological Control, 119, 12–19. <https://doi.org/10.1016/j.biocontrol.2018.01.004>
- Zhao, K., Penttinen, P., Zhang, X., Ao, X., Liu, M., Yu, X., y Chen, Q. (2014). Maize rhizosphere in Sichuan, China, hosts plant growth promoting *Burkholderia cepacia* with phosphate solubilizing and antifungal abilities. Microbiological Research, 169(1), 76–82. <https://doi.org/10.1016/j.micres.2013.07.003>
- Zhou, N., Zhao, S., y Tian, C.-Y. (2017). Effect of halotolerant rhizobacteria isolated from halophytes on the growth of sugar beet (*Beta vulgaris* L.) under salt stress. FEMS Microbiology Letters, 364(11). <https://doi.org/10.1093/femsle/fnx091>